

Guarantees

Our outdoor gym equipment is designed with both quality and safety in mind, and our innovative design techniques allow us to boldly state that our equipment, in our opinion, is far superior to that of our competitors.

Due to the phenomenal quality of the manufacturing process behind this great equipment, we can ensure both longevity and durability of these outdoor fitness products.

Therefore, because of this we are providing the below guarantees on all our outdoor gym equipment.







Standards that have been considered during the manufacturing and installation processes are:

- EN 16630 Permanently installed outdoor fitness equipment safety
- requirements and test methods.
- EN 1176 Playground equipment and surfacing;
- EN ISO 1461 Hot dip galvanized coatings on fabricated iron and steel articles.
- Specification and test methods;
- EN ISO 13290 Welding. General tolerances for welded constructions.

Dimensions for



Inspection, Cleaning & Maintenance

To maximise the life expectancy of outdoor fitness equipment, it should be inspected, on a regular basis based on the below inspections. An inspection schedule should be established and maintained for all equipment. This schedule will specify when an inspection is due to be carried out.

On completion of installation, a Log-book will be provided complete with inspection check sheets included (additional copies available on request). Detailed inspection and maintenance records should be kept on these inspection sheets. In the case of a future warranty claim, or a personal injury claim by an end-user, these records will be required.

We keep a large stock of spares and touch-up paints should you require them. Please contact us on 01359 250550. Routine Visual Inspection (carried out daily/weekly depending on usage):

- Keep areas around the equipment free from litter and broken glass;
- Carry out a visual check to find any obvious damage;
- We recommend removing, or painting over, graffiti as it happens to prevent further occurrences.

We strongly advise that high usage or older equipment is subject to a daily inspection. Any damage or defects must be eliminated immediately and the product removed from service until repaired. This will ensure that you can guarantee the safety and functional reliability of the product.

Operational Inspection (carried out every 1 – 3 months):

- Record any findings on provided check sheet;
- Use a spray lubricant on all moving parts, and at the same time check that
- restrictor blocks/limiters are working correctly;
- Use touch-up paint on any chips or scratches;
- Tighten any loose bolts or nuts, and replace caps;
- · Check for damaged, or missing caps, and replace accordingly;
- Check the construction stability;
- Ensure the surface around the equipment is free from trip hazards and generally in good condition. If any major faults are identified, remove the equipment from service immediately and then contact School Furniture Direct for advice.



Quarterly Inspection

Quarterly inspections should only be carried out by a certified Register of Play Inspectors International (RPII) Level 2 Outdoor Operational Inspector. This service can be provided by us if required. Please contact us on 01359 250550 or a quotation.

Annual Inspection/Service

Annual inspections should only be carried out by a certified Register of Play Inspectors International (RPII) Level 3 Outdoor Annual Inspector, or a qualified engineer. This service can be arranged by us if required. Please contact us on 01359 250550 for a quotation. In addition to the inspections, a routine maintenance & cleaning regime is also required. We recommend that this is undertaken as necessary from weekly to quarterly depending on the environment in which the equipment is subject to. This routine can include but is not limited to the below. Where corrective maintenance is required, the safety of the users must be considered, and the equipment taken out of use until the repair has been completed. - Clean down should be undertaken with a mild detergent in warm water. All surfaces should be cleaned using a soft sponge or cloth, followed by rinsing with clean water. At no time during the cleaning process is it advisable for any abrasive cleaners, solvents, or other chemicals to be used. - Where small repairs to the powder coated surface are required, then suitable touch-up paint should be carefully applied to the defect. - All fastenings to be tightened and secure, with all bearing sufficiently lubricated. - For larger areas of damage, vandalism, or coating breakdown, then school Furniture Direct should be contacted for technical advice.

6 Old Hall Barns Thurston Road Pakenham Suffolk IP31 2NG

Tel: 01359 250550

Email: orders@schoolfurniture-direct.co.uk

